

Initial	Date
<i>[Signature]</i>	4/27/09
NMC	4/23/09

BA WTR
WR ND
Mail Stop 60189

APR 27 2009

Memorandum

To: Project Leader, Tewaukon National Wildlife Refuge Complex

From: Chief, Division of Water Resources S/ MEGAN ESTEP

Subject: 2008-2009 Annual Water Use Report/Management Plan

The subject reports for Tewaukon and Storm Lake National Wildlife Refuges have been reviewed and approved as submitted. The 2009 Water Management Plan for Tewaukon National Wildlife Refuge will be forwarded to the North Dakota State Engineer's Office as the 2009 State Operation Plan.

Thank you for incorporating the changes that were identified last year for the report. Attached is the signed approval page for your files. Thank you for your timely submission of the report

Attachment

bcc: WTR rf

WTR:CCordova:cc:04/23/2009
I:\WATERUSE\ND\TEWAUKON NWR\wateruse_08.doc

Signature Page

2008 Water Use Report 2009 Water Management Plan

Submitted By: Jack Lalor Date: 4/14/2009
Jack Lalor, Acting Project Leader

Reviewed By: J. Paul Corn Date: 4-22-09

Approved By: [Signature] Date: 4/27/09

Concurrence: _____

Tewaukon National Wildlife Refuge Complex
2008 Water Use Report
2009 Water Management Plan

REFUGE MANAGED WETLANDS

CCP Refuge 1.5 Objective: Annually provide for approximately 20% in dry, 20% in shallow, 20% mid-depth, and 20% open water wetland conditions on Refuge managed wetlands and manage remaining 20% as a reserve to adjust to local climatic and habitat conditions.

1. List of Water Rights

See Appendix 1.

2. Water Use - 2008

Month	<u>Temperatures</u>		<u>Precipitation</u>	
	Low (Average)	High (Average)	Rain (inches)	Snow (inches)
January	-5.6	18.1	0	.85
February	-2.6	19.7	0	.95
March	16.4	33.6	0	2.20
April	30.3	51.9	1.6	0
May	42.6	67.9	2.46	0
June	54.2	74.4	4.13	0
July	58.4	82.4	2.20	0
August	56.5	82.6	3.63	0
September	46.7	73.6	5.39	0
October	35.7	57.4	5.91	0
November	23.4	40.9	0	1.08
December	-6.1	17.6	0	.83
Totals:			25.32	5.91

Information taken from ND Agricultural Weather Network website <http://ndawn.ndsu.nodak.edu/>

Pool 1 (Lake Tewaukon): Pool went into the spring at 1148.02. The Lake was lowered to 1146.38 and attempts were to keep the lake low to facilitate construction. After construction the lake was filled to 1148.82 in October. Heavy rains helped keep the lake full and freeze up at 1148.46 in late December.

Parker Bay (east end of Lake Tewaukon): Boards remained in place to maintain a three foot water depth. Freeze up elevation was 1148.46.

Pool 2 (Cutler Marsh): Water was held in Pool 2 to assist in re-filling Lake Tewaukon after construction between 1150.73 and 1153.78 throughout the spring and most of the summer. Boards were pulled in July to add water to Lake Tewaukon. Freeze up was at 1149.73

Pool 2A: Freeze-up was 1152.

Pool 3 (Maka Pool): Pool was raised to 1156.93 on June 27th to store water to re-fill Lake Tewaukon. Boards were pulled at the end of July. Freeze up was at 1151.25

Pool 3A: Pool followed Pool 3 elevations.

Nickeson Bottoms: This pool only received local inflows. Pulled boards in on April 23rd and late July. Freeze up level was approximately 1153.

Pool 4 (River Pool): Pool 4 filled on June 13th to 1159.36 to store water to help re-fill Lake Tewaukon. Boards were pulled the end of July. Freeze up at 1156.45.

Pool 5: Freeze up occurred at 1159. Filled to 1164 on 3-31-08

Pool 5A: Freeze up elevation 1162. Same as Pool 5

Pool 6: Structure and dike repaired in September 2008. Pool froze up at 1166.11.

Pool 7: Pool filled to 1172.10 on March 20th. Pool dropped to 1171.92 on May 5th and boards were added. On May 13th boards were pulled to dry out to repair Dam 6 and Dam 7 culvert. Freeze-up was at 1170.45.

Pool 7A: Pool started at 1175.18 on March 28th. Pool rose to 1175.38 on May 16th. Pulled boards on September 22nd. Freeze up was at 1171.

Pool 8 (Hepi Lake): On March 31st Pool 8 was at 1171.69 and continued to rise due to inflows to 1176.78 on June 27th. We pulled boards on July 24th – 30th. Freeze up was at 1175.

Pool 9: Pool began year at 1166 and froze up at approximately 1166.

Pool 10: Pool began year at 1174 there was no flow into this pool except local precipitation. Freeze up occurred at approximately 1175.

Pool 11 (West White Lake): This pool level was below the gauge on June 24 and boards were added. Freeze up occurred at 1147.75

Pool 12 (East White Lake): Pool 12 received inflows from Pool 11 and drained into Pool 2 to the Wild Rice River. By freeze up, Pool 12 was at approximately 1145.

Pool 13 (Mann Lake): Local runoff from the high amount of precipitation came into Pool 13. Evaporation had lowered it to approximately 1206 at freeze up.

Pool 14 (Sprague Lake): The lake started at 1212.92 at April 3rd and filled to 1214.79 from local in-flows on April 21st. Boards were pulled and water lowered to 1214.47 and more boards were pulled on June 12th. Lake maintained at approximately 1213 throughout the summer. Lake levels rose due to heavy precipitation in September and October. Freeze up at approximately 1214.90 on November 20th.

Pool 16 (Horseshoe Slough Group):

Only local inflows – keep out water from Wild Rice River

Pool A – Freeze up occurred at 1207.06

Pool B – Freeze up at 1207.06
Pool C – Freeze up at 1207.06
B West – Freeze up at 1207.06
B North – Freeze up at 1207.06
C North – Freeze up at 1207.06
C South and C East – Freeze up at 1207.06

3. Impoundment Data

Please see the attached chart (Appendix 2) for capacities for each pool at various elevations. No formal inflow/outflow records were maintained.

4. 2009 Plans

Pool 1 (Lake Tewaukon): Maintain Lake at 1148 (full pool) for fishery.

Parker Bay (east end of Lake Tewaukon): Maintain pool at 2-3 feet in depth–1148 with minimal inflows

Pool 2 (Cutler Marsh): Drop to 1148 to promote emergent vegetation growth.

Pool 2A: Maintain pool at 1154.

Pool 3 (Maka Pool): Drop pool to 1151 to facilitate 3A dike repair.

Pool 3A: Drop pool to 1151 to facilitate 3A dike repair.

Nickeson Bottoms: Continue to drop water through evaporation to promote emergent vegetation growth.

Pool 4 (River Pool): Maintain pool at 1158.85.

Pool 5: Dry Pool 5 out to work on dike.

Pool 5A: Dry Pool 5A out to work on dike.

Pool 6: Dike repair was completed in 2008. Maintain pool at 1168.50 or full.

Pool 7: Maintain a 2-3 foot water depth (approximately 1172.30)

Pool 7A: Maintain pool at 1175

Pool 8 (Hepi Lake): Maintain pool at 1172 or below to encourage vegetative growth.

Pool 9: Maintain a 2-3 foot level in this pool at 1164.5. Repair of inlet will be attempted if the level goes below 1164.5

Pool 10: No inflows. Maintain an elevation of 1172.24 to promote emergent vegetation.

Pool 11 (West White Lake): Drop West White Lake to 1147.50 to create mud flats and encourage emergent vegetation.

Pool 12 (East White Lake): Allow pool to drop through evaporation and restricting inflows.

Pool 13 (Mann Lake): Lower pool as the Wild Rice River goes down. Restrict inflows.

Pool 14 (Sprague Lake): Maintain pool level at 1214.25

Pool 16 (Horseshoe Slough): Water levels in these pools will be allowed to drop to re-establish vegetation and dry out the pools. Restrict in-flows. Pool A will be lowered as the Wild Rice River goes down to allow for dike repair.

5. Location Map

See attached Refuge map (Figure 1 and 2) with all the management pools delineated.

Figure 1: Tewaukon Unit Managed Wetlands





Figure 2: Sprague Lake Unit Managed Wetlands



Appendix 1

List of Water Rights

Water Right Filing No. 57: Declaration of Filing dated September 1, 1934 claimed 104 surface acres, for 397 acre-feet storage and 312 acre-feet seasonal use for Clouds Lake (Pool 8) now called Hepi Lake from unnamed tributary to Wild Rice River. Listed on the same sheet as Lake Tewaukon/White Lake, as per RO(EN) Marshall Fox's 11-14-83 memo. Water use in pools 5 through 10 is covered under this right, with Hepi Lake to be drawn down to fill these pools.

Water Right Filing No. 64: Declaration of Filing dated September 1, 1934, for Lake Tewaukon and East and West White Lake (including Cutler Marsh), 1417 surface acres, for 7198 acre-feet storage, 4251 acre-feet seasonal from Wild Rice River and unnamed tributary.

Permit #1261: 4852 acre-feet storage and 2287 acre-feet seasonal use, for a total of 7139 acre-feet from the Wild Rice River for fish and wildlife use. This permit covers additional storage and seasonal use in Lake Tewaukon, Cutlers Marsh and West White Lake; 409 acre-feet seasonal use to replace water to be diverted from the watershed by Sargent County Water Conservation District project; and total storage and seasonal use for Pools 3 and 4. Priority date December 28, 1964.

Tewaukon NWR #1262: 1,130 acre-feet yearly (635 acre-feet storage and 495 acre-feet seasonal use) for Sprague Lake, dated December 28, 1964, diversion from an unnamed creek in the SE1/4 NW1/4, Sec. 2.

Tewaukon NWR #1263: 686 acre-feet yearly for Mann Lake (total of 236 acre-feet comprised of 107 acre-feet storage and 129 acre-feet seasonal use) and Horseshoe Slough (total of 450 acre-feet comprised of 270 acre-feet storage and 180 acre-feet seasonal use) dated December 28, 1964, diversion from the Wild Rice River.

Tewaukon NWR #3816 Nickeson Tract: 571 acre-feet (474 acre-feet storage, 97 acre-feet annual use) for the Nickeson Bottoms, a tract jointly owned by the ND Game and Fish Department, US Bureau of Reclamation and US Fish and Wildlife Service (FWS). Diversion is from the Wild Rice River, W 1/2 Section 27, T. 130 N., LTL, R. 54 W. Priority date August 15, 1985. Received perfected water permit on August 14, 1997. Recorded in the Register of Deeds, Sargent County on March 3, 1998.

In December, the Service submitted an application for prescriptive water rights pursuant to the provisions of State Senate Bill No. 2182 for 859 acre feet.

Appendix 2

Pools, Elevations and Acres

Pool No. & Name	January 1, 2008			December 31, 2008		
	Elevation	Surface Acres *	Volume (acre ft.)*	Elevation	Surface Acres *	Volume (acre ft.) *
Pool 1 - Tewaukon	1148.0	1060	8375	1148.46	1064	8863
- Parker's Bay	1148.0	83	285	1148.46	87	325
Pool 2 - Cutler's Marsh	1149.50	239	587	1149.73	243	527
Pool 2A	1151.0	21	23	1152.0	24	46
Pool 3 - Maka Pool	1151.50	39	86	1151.25	35	77
Pool 3A	1151.50	0	0	1151.25	0	0
Nickeson Bottoms	1154.0	-	-	1153.0	-	-
Pool 4 - River Pool	1155.94	25	31	1156.45	0	0
Pool 5	1163.4	5	15	1159.0	3	4
Pool 5A	1163.4	8	11	1162.0	4	3
Pool 6	1163.0	0	0	1166.11	4	3
Pool 7	1171.3	11	12	1170.45	6	5
Pool 7A	1175.75	71	66	1171.0	0	0
Pool 8 - Hepi Lake	1172.0	86	174	1175.0	101	91
Pool 9	1166.0	11	35	1166.0	11	35
Pool 10	1174.0	6	12	1175.0	7	18
Pool 11 - West White Lake	1147.75	38	47	1147.75	38	47
Pool 12 - East White Lake	1147.75	100	464	1145.0	90	201
Pool 13 - Mann Lake	1206.0	44	118	1206.0	44	118
Pool 14 - Sprague Lake	1212.25	186	1296	1214.90	200	1807
Pool 16 - Horseshoe Slough						
- Pool 1 (A Pool)	1207.20	46	48	1207.06	43	42
- Pool 2 (B Pool)	1207.20	51	177	1207.06	50	170
- Pool 3 (C Pool)	1207.20	12	43	1207.06	11	42
- Pool 4 (B West)	1207.20	53	173	1207.06	52	166
- Pool 5 (B North)	1207.20	33	66	1207.06	32	34
- Pool 6 (C North)	1207.0	9	7	1207.06	9	8
- Pool 7 (C South & C East)	1207.0	22	51	1207.06	22	52

Appendix 3

WATER USE REPORT/MANAGEMENT PLAN SHORT FORM

<u>Storm Lake NWR, Sargent County</u> Station Name	<u>Spring 2009</u> Date of Inspection
<u>Declaration of Filing: 9/01/1934</u> Water Right No. Several (729 acre-feet storage) (516 acre-feet seasonal)	<u>Drainage ditch (legal)</u> Sources(s) Means of Diversion <u>Uncontrolled</u> Rate <u>Unknown</u>
Water Diverted: Yes <u>X</u> No <u> </u>	Water Level <u>est 654 acre-feet</u> (Elevation or Est. Storage Amount)
* Impoundment(s): Yes <u> </u> No <u>X</u> * Well(s) Free Flowing <u>none</u> gpm Pumped <u> </u> gpm	Surface irrigation <u> </u> (Crop) <u> </u> Fish & Wildlife <u>X</u> virtually no public use Stock <u> </u>

Overall Climatic Conditions: Even with heavy rains in October 2008, water did not run over land into the Golf Course and the town of Milnor.

Condition of Facilities: A diversion dam at the head of the feed ditch serving Storm Lake washed out well before 1976. The town dug a ditch beside the existing structure to allow for flood waters to move out of the town. At the end of 1997 the town placed a culvert with flap gate at an agreed elevation by a special use permit. The culvert is well above the existing structure and will allow flood waters to move out without impacting the water right. The ditch through the golf course was cleaned out in 1997 through a special use permit to remove flood waters. At that time the Golf Course placed two new bridges on the fee title property without notification of the Refuge. An agreement with the Service was signed to mitigate the mowing of the fee title property with no mow areas along the golf course edges was signed in 1999. In 2005, the Service issued a permit to the City to use Glyphosate to manage cattail growth in the ditch. In 2006 an agreement between the US Fish & Wildlife Service and the city of Milnor was signed to lower an existing culvert. The culvert maintains the lake elevation and lowered the management level in Storm Lake by one foot (from 5 to 4 feet).

Proposed Water Program: No water management capability is present. Water runs down the ditch into the lake to an unknown degree each spring. Water did fill Storm Lake in 1993. High waters and overland flooding have resulted in the feeder ditch becoming an outlet for Storm Lake water into the legal drain.

Comments: The lake serves as a waterfowl loafing site by Canada geese, canvasbacks, redheads, lesser scaup, mallards, teal, gadwalls during low water years. Water levels fluctuate without management. If active management was initiated, some degree of improvement might be gained by a cycle of draw down management. It is questionable if the benefits would be worth the costs. The Golf Course Association of Milnor, which at one time requested lake water to irrigate portions of the Storm Lake Golf Course, has since found a well water source. The Association was granted a conditional water right, junior to that of the Service.